

40

YEARS
OF ENGINEERING
EXCELLENCE



BAXY

PRODUCT CATALOGUE

Product Overview

Diesel - Passenger/Cargo



CNG - Passenger/Cargo



EV - Passenger/Cargo





Diesel - Passenger/Cargo

दुनिया चली एक्सप्रेस की सवारी

BAXY EXPRESS *Diesel*

बैक्सी एक्सप्रेस डीज़ल



Wide Passenger Seating



3 Years Warranty



Diesel



Apt for Long Commute

बैक्सी के संग तरक्की के रंग

www.baxymobility.com

40
YEARS
OF ENGINEERING
EXCELLENCE



BAXY EXPRESS DIESEL

SPECIFICATIONS

Engine	Greaves Engine BSVI OBDIIA
Displacement & Power	435 cc, 5.7 KW @ 3600 rpm
Fuel	Diesel
Max. Torque	19 NM @ 2200+200 rpm
Sitting Capacity	D+3
Warranty	3 Years Warranty*

Contact Details:



085959 27881



mobility.crm@baxy.com



**Powered by
Greaves Engine**

6.5 Ft ट्रे - बड़ी जगह, बड़ी कमाई!

BAXY Superking Diesel

बैक्सी सुपरकिंग डीज़ल



6.5 Feet Tray Space



3 Years Warranty



Diesel



High Load Capacity



बैक्सी के संग तरक्की के रंग

www.baxymobility.com

40
YEARS
OF ENGINEERING
EXCELLENCE



SUPER KING

SPECIFICATIONS

Engine	Greaves Engine BSVI OBDIIA
Displacement & Power	435cc & 5.7 KW @3600 RPM
Fuel	Diesel
Max. Torque	19 NM @ 2200+200 rpm
Tray Size (LxWxH) in mm	1985 X 1445 X 285 mm
Warranty	3 Years Warranty*
Cargo Body (Tray/Deck Size)	6.5 Feet (1985*1145*285 mm)
Payload	500+ KG
Ground Clearance	175 mm

Contact Details:



085959 27881



mobility.crm@baxy.com



Powered by
Greaves Engine

अधिक वारंटी, अधिक सुरक्षा

BAXY Super Cargo Diesel

बैक्सी सुपर कार्गो डीज़ल



5.5 Feet Tray Space



3 Years Warranty



Diesel



High Load Capacity



बैक्सी के संग तरक्की के रंग

www.baxymobility.com

40
YEARS
OF ENGINEERING
EXCELLENCE



SUPER CARGO

SPECIFICATIONS

Engine	Greaves Engine BSVI OBDIIA
Displacement & Power	435cc , 5.7KW @ 3600 rpm
Fuel	Diesel
Max. Torque	19 NM @ 2200+200 rpm
Tray Size (LxWxH) in mm	1690 X 1475 X 285
Warranty	3 Years Warranty*
Cargo Body (Tray/Deck Size)	5.5 Feet
Payload	500+ KG
Ground Clearance	175 mm

Contact Details:



085959 27881



mobility.crm@baxy.com



Powered by
Greaves Engine

BAXY | Mobility

रास्ता भले ही खत्म हो जाए
BAXY का बिंदास चलता ही जाए
bindaas



435CC
powered by
GREAVES ENGINE



bindaas

BINDAAS

SPECIFICATIONS

Engine	Greaves BSVI OBD II engine
Displacement & Power	435cc, 5.7kw @ 3600 rpm
Fuel	Diesel
Max. Torque	19 Nm @ 2200±200 rpm
Tray Size (LxWxH) in mm	1680 x 1320 x 442
Cargo Body (Tray/Deck Size)	5.5 Feet
Warranty	2 Years Warranty*

Contact Details:



085959 27881



mobility.crm@baxy.com



CNG - Passenger/Cargo

रख रखाव का खर्चा आधा
आरामदायक सबसे ज़्यादा

CNG EXPRESS



D+3 Seating Capacity



Mileage 35 - 40 KM/KG* per KG



powered by
GREAVES ENGINE



EXPRESS

SPECIFICATIONS

Engine	G400 W VI Bi Fuel CNG
Displacement & Power	395 CC, 7.25 kW @ 3400 ± 200rpm
Fuel	CNG
Max. Torque	24.5 ± 5% Nm at 1600 - 2400 rpm
Sitting Capacity	D+3
Warranty	3 Years Warranty*

Contact Details:



085959 27881



mobility.crm@baxy.com

*Conditions Apply. Actual colors may differ from the creative

बड़ी जगह बड़ा मुनाफ़ा

इंजन भी ताकतवर ज़्यादा

CNG SUPER KING



6.5 FEET TRAY

3 years warranty*



powered by
GREAVES ENGINE



SUPER KING

SPECIFICATIONS

Engine	G400 W VI Bi Fuel CNG
Displacement & Power	395 CC, 7.25 kW @ 3400 ± 200rpm
Fuel	CNG
Max. Torque	24.5 ± 5% Nm at 1600 - 2400 rpm
Tray Size (LxWxH) in mm	1985 X 1445 X 285
Warranty	3 Years Warranty*
Cargo Body (Tray/Deck Size)	6.5 Feet
Litres	Twin Cylinder 30+30 Lts

Contact Details:



085959 27881



mobility.crm@baxy.com



EV - Passenger/Cargo

जितना चलाओ
बचत उतनी ही बढ़ती जाती

ERATH बना हर
सफलता का साथी।



- 100*Kms Range
- 375 kg payload capacity
- Telescopic Suspension
- Reverse Camera
- Double Framed Chassis

सफलता
का साथी



BAXY E RATH

SPECIFICATION

Sr. No	Parameter	UOM	
1	Model Name		RATH
2	Controller		50A
3	Once charging range	KM	100*
4	Dimension (LXBXH)	mm	2825 x 990 x 1810
5	Wheel track	mm	840
6	Brake type		F:130 drum brake / R:160 drum brake
7	Charging voltage	volts/ Hz	220/ 50
8	Charging time	Hrs	8-9 Hours
9	Tyre	inch	3.75 -12
10	Battery	Volts/Ah	48/ 130
11	Gradient	°degree	7°
12	Kerb weight w/o battery	kg	300
13	Ground clearance	mm	170
14	Speedometer		Digital
15	Top speed	KMPH	25
16	Front suspension		Telescopic suspension with helical spring
17	Rear suspension		6 pcs leaf spring
18	Roof		Metal roof
19	Motor		BLDC motor 48v1000 watt

Contact Details:



085959 27881



mobility.crm@baxy.com

स्टेनलेस स्टील
की बॉडी फ़ौलाद,

ERATH
GO ELECTRIC

हर हाल में निभाए साथ।



100*Kms Range



375 kg payload
capacity



Telescopic
Suspension



Reverse Camera



Double Framed Chassis

*Conditions Apply. Actual colors may differ from the creative

सफलता
की साथी



BAXY E RATH

SPECIFICATION

Sr. No	Parameter	UOM	
1	Model Name		RATH
2	Controller		50A
3	Once charging range	KM	100*
4	Dimension (LXBXH)	mm	2825 x 990 x 1810
5	Wheel track	mm	840
6	Brake type		F:130 drum brake / R:160 drum brake
7	Charging voltage	volts/ Hz	220/ 50
8	Charging time	Hrs	8-9 Hours
9	Tyre	inch	3.75 -12
10	Battery	Volts/Ah	48/ 130
11	Gradient	°degree	7°
12	Kerb weight w/o battery	kg	300
13	Ground clearance	mm	170
14	Speedometer		Digital
15	Top speed	KMPH	25
16	Front suspension		Telescopic suspension with helical spring
17	Rear suspension		6 pcs leaf spring
18	Roof		Metal roof
19	Motor		BLDC motor 48v1000 watt

Contact Details:



085959 27881



mobility.crm@baxy.com

जितना चलाओ
बचत उतनी ही बढ़ती जाती

E-LIO
LITHIUM POWERED

अब **लिथियम** के ताक़त के साथ



- 100*Kms Range
- 375 kg payload capacity
- Telescopic Suspension
- Reverse Camera
- Double Framed Chassis

*Conditions Apply. Actual colors may differ from the creative

सफलता
की साथी



BAXY E LIO

SPECIFICATION

Sr. No	Parameter	UOM	
1	Model Name		BAXY E LIO
2	Controller		50A
3	Once charging range	KM	100*
4	Dimension (LXBXH)	mm	2750 x 990 x 1780
5	Wheel track	mm	880
6	Brake type		F:130 drum brake / R:160 drum brake
7	Charging voltage	volts/ Hz	48 V & (47-63) Hz
8	Charging time	Hrs	3 hrs 30 min to 4 hrs
9	Tyre	inch	3.75 -12 MRF TIRES WITH ALLOY RIM
10	Battery	Volts/Ah	5+ KWH - EXIDE TYPE 51.2V-105AH
11	Gradient	°degree	7°
12	Kerb weight w/o battery	kg	320
13	Ground clearance	mm	150
14	Speedometer		Digital
15	Top speed	KMPH	25
16	Front suspension		Telescopic - 43mm Heavy Shockers
17	Rear suspension		19" Rear Leaf Spring
18	Roof		Metal roof
19	Motor		1200 WATT Motor with Controller

Contact Details:



085959 27881



mobility.crm@baxy.com

बड़ी जगह बड़ा मुनाफ़ा, बैटरी भी दमदार ज़्यादा

e-LIO LD 15/ e-CART LD 15 / LD 12



5.5 FEET TRAY

3 years warranty*



	e-Lio LD 15 (Li-ion)	e-Cart LD 15 (Lead-acid)	e-Cart LD 12 (Lead-acid)
Type of Vehicle	Loader	Loader	Loader
Model Year	2023	2023	2023
Size of Vehicle (L x W x H) in mm	2760 x 980 x 1760	2760 x 980 x 1760	2760 x 980 x 1760
Gross Vehicle Weight(kg)	692	778	775
Type of motor	BLDC Motor	BLDC Motor	BLDC Motor
Maximum Torque (N.m)	7.0	7.0	7.0
Motor Capacity(KW) (Rated Power/Maximum Power)	Lucas TVS 1.5 Kw Rated power- 1.5 Kw Max Power- 1.77 Kw	Lucas TVS 1.5 Kw Rated power- 1.5 Kw Max Power- 1.77 Kw	Lucas TVS 1.5 Kw Rated power- 1.5 Kw Max Power- 1.77 Kw
Battery Options:	1. Exide - 105 Ah 2. Greenfuel 100Ah 3. Eastman -105 Ah 4. Inverted- 100Ah	Eastman 1) 130 Ah (C5 - 90 Ah) 2) 135 Ah (C5 - 105 Ah) 3) 145 Ah (C5 - 109 Ah) 4) 150 Ah (C5 - 115 Ah)	Eastman 1) 130 Ah (C5 - 90 Ah) 2) 135 Ah (C5 - 105 Ah) 3) 145 Ah (C5 - 109 Ah) 4) 150 Ah (C5 - 115 Ah)
Battery Quantity	1	4	4
Battery capacity(KWh)	5.36	6.24	6.24
Maximum Speed (km/h)	21	21	21
Driving Range(km)	100 ~ 105	100 ~ 105	100 ~ 105
Grade-ability (degress)	7	7	7
Charger Type (CCS 1, CCS 2, GB/T)	AC,Slow charger	AC,Slow charger	AC,Slow charger
Charging Connector & Inlet Type (AC/DC)	AC	AC	AC
Charging Time (AC/DC)	3 ~ 5 Hrs	8 Hrs	8 Hrs
Country of Origin	India	India	India

Contact Details:



085959 27881



mobility.crm@baxy.com



BAXY | Mobility

www.baxymobility.com